ELSEVIER

Lipids and Lipid Metabolism

Vol. 1346, 1997

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Adayev, T., see Singh, J.K. (1346) 205
Addona, G.H., see Sandermann Jr., H. (1346) 158
Anderson, R.A., see Wang, J. (1346) 207
Armour, J.W., see Lee, R.E. (1346) 275

Banerjee, P., see Singh, J.K. (1346) 205
Barbieri, B., Papadogiannakis, N., Eneroth, P., Hansson, C., Roepstorff, P. and Olding, L.B.
Corrigendum to 'Identification of a substance, previously shown to enhance mitogenesis of human lymphocytes, as the acetamide of *p*-aminobenzoic acid'. Biochimica et Biophysica Acta 1214 (1994) 309–316 (1346) 300
Besra, G.S., see Lee, R.E. (1346) 275
Beuck, M., see Kerkhoff, C. (1346) 163
Bohn, E., see Kunze, H. (1346) 86
Bolognese, B.J., see Winkler, J.D. (1346) 173
Brash, A.R., see Hada, T. (1346) 109
Brennan, P.J., see Lee, R.E. (1346) 275

Caster, H., see Dergunov, A.D. (1346) 131
Catros-Quemener, V., Leray, G., Moulinoux, J.-P., Havouis, R., De Certaines, J.-D. and Chapman, J.
Tumour growth modifies intravascular polyamine transport by plasma lipoproteins in the mouse (1346) 30
Chao, W., see Svetlov, S.I. (1346) 120
Chapman, J., see Catros-Quemener, V. (1346) 30
Cho, W., see Han, S.K. (1346) 185
Cistola, D.P., see Ek, B.A. (1346) 75
Clandinin, M.T., Foxwell, A., Goh, Y.K., Layne, K. and Jumpsen, J.A.
Omega-3 fatty acid intake results in a relationship between the fatty acid composition of LDL cholesterol ester and LDL cholesterol content in humans (1346) 247
Cohn, J.S., see Marcoux, C. (1346) 261
Cui, Z., Shen, Y.-J. and Vance, D.E.
Inverse correlation between expression of phosphatidylethanolamine *N*-methyltransferase-2 and growth rate of perinatal rat livers (1346) 10
Cui, Z., see Houweling, M. (1346) 1

Dasgupta, A., see Singh, J.K. (1346) 205
Davignon, J., see Marcoux, C. (1346) 261
De Certaines, J.-D., see Catros-Quemener, V. (1346) 30
Delbart, C., see Nazih-Sanderson, F. (1346) 45
Dergunov, A.D., Taveirne, J., Vanloo, B., Caster, H. and Rosseneu, M.
Structural organization of lipid phase and protein-lipid interface in apolipoprotein-phospholipid recombinants: influence of cholesterol (1346) 131
De Vet, E.C.J.M., Van den Broek, B.T.E. and Van den Bosch, H.
Nucleotide sequence of human alkyl-dihydroxyacetonephosphate synthase cDNA reveals the presence of a peroxisomal targeting signal 2 (1346) 25
D'Ischia, M., see Memoli, S. (1346) 61
Dubacq, J.-P., see Pham Quoc, K. (1346) 237

Eibl, H., see Kunze, H. (1346) 86
Ek, B.A., Cistola, D.P., Hamilton, J.A., Kaduce, T.L. and Spector, A.A.
Fatty acid binding proteins reduce 15-lipoxygenase-induced oxygenation of linoleic acid and arachidonic acid (1346) 75
Eneroth, P., see Barbieri, B. (1346) 300

Foxwell, A., see Clandinin, M.T. (1346) 247
Fruchart, J.-C., see Nazih-Sanderson, F. (1346) 45

Gebre, A.K., see Wang, J. (1346) 207
Gildenast, T. and Lasch, J.
Isolation of ceramide fractions from human stratum corneum lipid extracts by high-performance liquid chromatography (1346) 69
Goh, Y.K., see Clandinin, M.T. (1346) 247

Hada, T., Swift, L.L. and Brash, A.R.
Discovery of 5R-lipoxygenase activity in oocytes of the surf clam, *Spisula solidissima* (1346) 109
Hamilton, J.A., see Ek, B.A. (1346) 75
Hammond, D., see Singh, J.K. (1346) 205
Han, S.K., Lee, B.-I. and Cho, W.
Bacterial expression and characterization of human pancreatic phospholipase A_2 (1346) 185
Hansson, C., see Barbieri, B. (1346) 300
Havouis, R., see Catros-Quemener, V. (1346) 30
Hayashi, H. and Sato, A.
Fatty alcohol synthesis accompanied with chain elongation in liver peroxisomes (1346) 38
Houweling, M., Cui, Z., Tessitore, L. and Vance, D.E.
Induction of hepatocyte proliferation after partial hepatectomy is accompanied by a markedly reduced expression of phosphatidylethanolamine *N*-methyltransferase-2 (1346) 1

Jumpsen, J.A., see Clandinin, M.T. (1346) 247

Kaduce, T.L., see Ek, B.A. (1346) 75
Kasai, T., see Ohguchi, K. (1346) 301
Kelley, M., see Vessey, D.A. (1346) 231
Kerkhoff, C., Beuck, M., Threige-Rasmussen, J., Spener, F., Knudsen, J. and Schmitz, G.
Acyl-CoA binding protein (ACBP) regulates acyl-CoA:cholesterol acyltransferase (ACAT) in human mononuclear phagocytes (1346) 163
Kim, H.S., see Lee, T.G. (1346) 103
Kim, J.H., see Lee, T.G. (1346) 103
Knudsen, J., see Kerkhoff, C. (1346) 163
Kolleck, I., see Tölle, A. (1346) 198
Kunii, S., see Shimoyamada, A. (1346) 147

Kunze, H., Bohn, E. and Eibl, H.
On the mechanism of lysophospholipase activity of secretory phospholipase A_2 (EC 3.1.1.4): deacylation of monoacylphosphoglycerides by intrinsic *sn*-1 specificity and pH-dependent acyl migration in combination with *sn*-2 specificity (1346) 86

Lasch, J., see Gildenast, T. (1346) 69
Layne, K., see Clandinin, M.T. (1346) 247
Lee, B.-I., see Han, S.K. (1346) 185
Lee, R.E., Armour, J.W., Takayama, K., Brennan, P.J. and Besra, G.S.
Mycolic acid biosynthesis: definition and targeting of the Claisen condensation step (1346) 275
Lee, T.G., Lee, Y.H., Kim, J.H., Kim, H.S., Suh, P.-G. and Ryu, S.H.
Immunological identification of cholesterol ester hydrolase in the steroidogenic tissues, adrenal glands and testis (1346) 103
Lee, Y.H., see Lee, T.G. (1346) 103
Leray, G., see Catros-Quemener, V. (1346) 30
Liu, H., see Svetlov, S.I. (1346) 120
Lussier-Cacan, S., see Marcoux, C. (1346) 261
Luthria, D.L. and Sprecher, H.
Studies to determine if rat liver contains multiple chain elongating enzymes (1346) 221

Makino, N., see Sugano, M. (1346) 17
Mamo, J.C.L., see Yu, K.C.-W. (1346) 212
Marcoux, C., Lussier-Cacan, S., Davignon, J. and Cohn, J.S.
Association of Lp(a) rather than integrally-bound apo(a) with triglyceride-rich lipoproteins of human subjects (1346) 261
Marshall, L.A., see Winkler, J.D. (1346) 173
Memoli, S., Napolitano, A., D'Ischia, M., Misuraca, G., Palumbo, A. and Prota, G.
Diffusible melanin-related metabolites are potent inhibitors of lipid peroxidation (1346) 61
Mendez, A.J. and Oram, J.F.
Limited proteolysis of high density lipoprotein abolishes its interaction with cell-surface binding sites that promote cholesterol efflux (1346) 285
Miller, K.W., see Sandermann Jr., H. (1346) 158
Misuraca, G., see Memoli, S. (1346) 61
Moulinoux, J.-P., see Catros-Quemener, V. (1346) 30

Napolitano, A., see Memoli, S. (1346) 61
Nazih-Sanderson, F., Pinchon, G., Nion, S., Fruchart, J.-C. and Delbart, C.
HDL_3-signalling in $HepG_2$ cells involves glycosyl-phospatidylinositol-anchored proteins (1346) 45
Nion, S., see Nazih-Sanderson, F. (1346) 45
Nishi, K., see Shirasaka, N. (1346) 253
Nozawa, Y., see Ohguchi, K. (1346) 301

Ohguchi, K., Kasai, T. and Nozawa, Y.
Tyrosine phosphorylation of 100–115 kDa proteins by phosphatidic acid generated via phospholipase D activation in HL60 granulocytes (1346) 301
Olding, L.B., see Barbieri, B. (1346) 300
Olson, M.S., see Svetlov, S.I. (1346) 120
Oram, J.F., see Mendez, A.J. (1346) 285

Pace-Asciak, C.R., see Reynaud, D. (1346) 305
Palumbo, A., see Memoli, S. (1346) 61
Papadogiannakis, N., see Barbieri, B. (1346) 300
Parks, J.S., see Wang, J. (1346) 207
Pham Quoc, K. and Dubacq, J.-P.
Effect of growth temperature on the biosynthesis of eukaryotic lipid molecular species by the cyanobacterium *Spirulina platensis* (1346) 237
Pinchon, G., see Nazih-Sanderson, F. (1346) 45
Prota, G., see Memoli, S. (1346) 61

Reynaud, D. and Pace-Asciak, C.R.
Docosahexaenoic acid causes accumulation of free arachidonic acid in rat pineal gland and hippocampus to form hepoxilins from both substrates (1346) 305
Roepstorff, P., see Barbieri, B. (1346) 300
Roshak, A.K., see Winkler, J.D. (1346) 173
Rosseneu, M., see Dergunov, A.D. (1346) 131
Rüstow, B., see Tölle, A. (1346) 198
Ryu, S.H., see Lee, T.G. (1346) 103

Saggerson, E.D., see Swanton, E.M.S. (1346) 93
Sandermann Jr., H., Addona, G.H. and Miller, K.W.
A thermodynamic analysis of the partitioning of cholesterol and related compounds between trioleoylglycerol and egg phosphatidylcholine bilayers (1346) 158
Sato, A., see Hayashi, H. (1346) 38
Schlame, M., see Tölle, A. (1346) 198
Schmitz, G., see Kerkhoff, C. (1346) 163
Shahmehdi, S.A., see Singh, J.K. (1346) 205
Shen, Y.-J., see Cui, Z. (1346) 10
Shimizu, M., see Shimoyamada, A. (1346) 147
Shimizu, S., see Shirasaka, N. (1346) 253
Shimoyamada, A., Tomiyama, S., Shimizu, M., Yamamoto, K., Kunii, S. and Yamada, S.
In vivo metabolism of 24*R*,25-dihydroxyvitamin D_3: structure of its major bile metabolite (1346) 147
Shirasaka, N., Nishi, K. and Shimizu, S.
Biosynthesis of furan fatty acids (F-acids) by a marine bacterium, *Shewanella putrefaciens* (1346) 253
Singh, J.K., Dasgupta, A., Adayev, T., Shahmehdi, S.A., Hammond, D. and Banerjee, P.
Erratum to 'Apoptosis is associated with an increase in saturated fatty acid containing phospholipids in the neuronal cell line, HN2-5' [Biochim. Biophys. Acta 1304 (1996) 171–178] (1346) 205
Spector, A.A., see Ek, B.A. (1346) 75
Spener, F., see Kerkhoff, C. (1346) 163
Sprecher, H., see Luthria, D.L. (1346) 221
Stevens, P.A., see Tölle, A. (1346) 198
Sugano, M., Makino, N. and Yanaga, T.
Effect of dietary omega-3 eicosapentaenoic acid supplements on cholesteryl ester transfer from HDL in cholesterol-fed rabbits (1346) 17
Suh, P.-G., see Lee, T.G. (1346) 103
Sung, C.-M., see Winkler, J.D. (1346) 173
Svetlov, S.I., Liu, H., Chao, W. and Olson, M.S.
Regulation of platelet-activating factor (PAF) biosynthesis via coenzyme A-independent transacylase in the macrophage cell line IC-21 stimulated with lipopolysaccharide (1346) 120
Swanton, E.M.S. and Saggerson, E.D.
Glycerolipid metabolizing enzymes in rat ventricle and in cardiac myocytes (1346) 93
Swift, L.L., see Hada, T. (1346) 109

Takayama, K., see Lee, R.E. (1346) 275
Taveirne, J., see Dergunov, A.D. (1346) 131

Tessitore, L., see Houweling, M. (1346) 1
Threige-Rasmussen, J., see Kerkhoff, C. (1346) 163
Tölle, A., Kolleck, I., Schlame, M., Wauer, R., Stevens, P.A. and Rüstow, B.
Effect of hyperoxia on the composition of the alveolar surfactant and the turnover of surfactant phospholipids, cholesterol, plasmalogens and vitamin E (1346) 198
Tomiyama, S., see Shimoyamada, A. (1346) 147

Vadas, P.
Group II phospholipases A_2 are indirectly cytolytic in the presence of exogenous phospholipid (1346) 193
Vance, D.E., see Cui, Z. (1346) 10
Vance, D.E., see Houweling, M. (1346) 1
Van den Bosch, H., see De Vet, E.C.J.M. (1346) 25
Van den Broek, B.T.E., see De Vet, E.C.J.M. (1346) 25
Vanloo, B., see Dergunov, A.D. (1346) 131
Vessey, D.A. and Kelley, M.
Purification and partial sequencing of the XL-I form of xenobiotic-metabolizing medium chain fatty acid:Coa ligase from bovine liver mitochondria, and its homology with the essential hypertension protein (1346) 231

Wang, J., Gebre, A.K., Anderson, R.A. and Parks, J.S.
Cloning and in vitro expression of rat lecithin:cholesterol acyltransferase (1346) 207
Wauer, R., see Tölle, A. (1346) 198
Winkler, J.D., Bolognese, B.J., Roshak, A.K., Sung, C.-M. and Marshall, L.A.
Evidence that 85 kDa phospholipase A_2 is not linked to CoA-independent transacylase-mediated production of platelet-activating factor in human monocytes (1346) 173

Yamada, S., see Shimoyamada, A. (1346) 147
Yamamoto, K., see Shimoyamada, A. (1346) 147
Yanaga, T., see Sugano, M. (1346) 17
Yu, K.C.-W. and Mamo, J.C.L.
Binding and uptake of chylomicron remnants by cultured arterial smooth muscle cells from normal and Watanabe-heritable-hyperlipidemic rabbits (1346) 212